


SEPTIC SYSTEM ELEVATIONS (m)

- NEW BLDG SEWER OUTLET INV = 252.00
- SEPTIC TANK INLET PIPE INVERT = 251.95
- SEPTIC TANK OUTLET PIPE INVERT = 251.90
- PUMP TANK INLET INVERT = 251.85
- D-BOX INLET PIPE INVERT = 251.96
- FINISHED GRADE OVER ECO FLO UNITS = 252.40
- ECO FLO INLET PIPE INVERTS = 251.81
- BOTTOM OF EACH ECO FLO UNIT = 250.60
- BOTTOM OF STONE UNDER ECO FLO UNITS = 250.40
- BOTTOM OF IMPORTED SAND UNDER STONE = 250.20
- OR DEEPER AS REQUIRED TO REACH TOP OF NATIVE SAND OVER ENTIRE AREA.

NOTE: THIS TREATMENT SYSTEM REQUIRES ANNUAL MAINTENANCE & MONITORING



AS CONSTRUCTED NOTES	AS CONSTRUCTED SERVICES	COMPLETION	No.	REVISIONS	DATE	BY
			0	FOR APPROVAL	26-Feb-19	AWB
			1	RE-LABEL BUILDINGS	07-Mar-19	AWB

BOS Engineering & Environmental Services Inc.
46 Donnybrook Rd. London Ontario N6X 3C8 Phone : 519 850-9987 Fax : (519) 663-8057

CLIENT: GRAYSTONE CUSTOM HOMES LIMITED
20 - 1615 N. Rutledge Park London ON N6H 5L6 519-601-6900 ex.223

MUNICIPALITY OF MIDDLESEX CENTRE
COUNTY OF MIDDLESEX, ONTARIO, CANADA

PROJECT No. 1808-14

SHEET No. S-1

GRADING & WASTEWATER TREATMENT SYSTEM DESIGN
- NEW RESIDENTIAL - 9622 SINCLAIR DRIVE

PLANNING FILE No.